



# EAGLE

LED Ceiling Light



**IP65**

**CRI ≥80**

**CE**

**RoHS**



**EAGLE** is ELTON's LED Ceiling bulkhead light. Bulkheads are a simple yet functional product that offer a practical solution for lighting commercial spaces, corridors and stairways, as well as indoor and outdoor communal spaces. With a high efficacy of lumen levels, this easy install, providing cost and energy saving and durable option.


## Features

- > Uniform Lighting
- > High lumen efficiency
- > IP65(Indoor and Outdoor)
- > Triac dimming
- > Internal driver

## Application Areas

- > Office
- > Supermarket
- > Hotel
- > Stairway
- > Lobby
- > Reception
- > Corridors

## Dimensions



Code	Dimension(mm)				Size(mm)
	A	B	C	D	
200	200	48	172.8	16	Ø200x48
250	250	48	221	15	Ø250x48
300	300	40	271	13	Ø300x40
400	400	52	363.2	14.6	Ø400x52

## Parameters

Watt(W)	Size (DiaxH)	Lumen (Non Dim)	Lumen ( Dim)
12W	200x48	1080-1330	1045-1300
12W	250x48	1140-1270	1115-1235
18W	300x40	1720-2060	1700-2050
25W	300x40	2400-2650	2250-2600
25W	350x40	2480-2900	2470-2890
30W	400x52	3000-3360	2980-3350

AC Input Range	AC 100-240V
Input Frequency	50-60Hz
CRI	>80
Installation	Surface Mounting
CCT Range	3000K/4000K/5000K/5700K
Beam Angle	120°
Lifetime(Hr)	50,000h
Working Temp.	-20 to +50°C
Storage Temp.	-30 to +65°C
Ingress Protection	IP65
IK Rating	IK10
Housing Material	Polycarbonate
Diffuser Material	Polycarbonate
LED Driver	Built -In
Dimming Option	Triac
Finish	White (RAL9016)

## Ordering Info.

