



TROY 44

NARROW ANTI GLARE LED COB DOWNLIGHT



IP44 **CRI ≥80** **UGR <19** **CE** **RoHS**



TROY 44 is ELTON's Narrow anti glare LED COB down light. Compact recessed downlight with round construction, high quality COB LED for superior efficiency, Die cast Aluminum heat sink designed for excellent thermal dissipation. TROY 44 fills the architectural design requirements with its superior efficacy and construction design.


Features

- > Up to 70% energy saving compared to standard CFL.
- > Long lifetime of 50,000 hours.
- > Beam angle: 15° 24° 38°.
- > Anti-glare : UGR<19.
- > Environment friendly, without Mercury or any other hazardous substances.

Application Areas

It is designed for general anti glare lighting applications in office, appeasement ,school, hotel, etc. It is also widely used for public areas, such as lobby, reception, corridors etc.

Dimensions



Code	Dimension(mm)	
	Ø	B
62	62	65
72	72	77
82	82	80

Parameters

Power (W)	Size (ØxH)	Lumens (Non-DIM) (Lm)
7	62x65	700
10	72x77	1000
12	82x80	1200



AC Input Range	200-240 V (50/60Hz)
LED	COB
CRI	>80
Installation	Recessed
CCT Range	3000K, 4000K, 5000K
Beam Angle	15°, 24°, 38°
Protection Class	Class II
Lifetime(Hr)	50,000h
Working Temp.	-20 to +45°C
Storage Temp.	-20 to +65°C
Ingress Protection	IP44
LED Driver	Built -out
Warranty	5 years

Ordering Info.

