



LENTUS PC

WEATHERPROOF LUMINAIRE



LENTUS PC is ELTON's LED weatherproof. An IP66, dust and moisture resistant maintenance-free LED luminaire. Electronic, fixed output control gear. With wide beam distribution. Class I electrical. Luminaire body and diffuser made of polycarbonate.



Features



SS 304 Clips



PC Housing




SMD LED

Application Areas

Factory, warehouse, workshop, and other lighting area with high humidity and dusty areas .

Dimensions




Parameters

Length	Power (W)	Lumens	Input Range	AC 220 – 240V
636mm	10W	1400lm	Frequency	50/60Hz
636mm	15W	2100lm	Housing	Polycarbonate
1176mm	17W	2400lm	Diffuser	Polycarbonate
1176mm	34W	4800lm	Light Source	SMD LED (Everlight/LG)
1506mm	24W	3400lm	LED Driver	Philips/Osram
1506mm	42W	6000lm	Power Factor	>0.95
1506mm	55W	8000lm	Beam Angle	120°
			CRI	>80
			Ambient Temp.	-20 to +50°C
			Protection	IP66 & IK08
			Warranty	5 years
			Function (Optional)	Sensor/Emergency

Notes:

- Above lumens based on 4000K Ra : 80
- All values in +25°C ambient temperature
- Luminous flux tolerance +/-5%, power tolerance +/-5%.

Photometric Data



Ordering Info.

